WHAT IS CLAIMED IS:

1. at l wat who

1

1

2

1

2

3

4

1. A topical composition comprising: at least about 5.0% (w/v) pretreated ascorbic acid; and water,

wherein the composition has a pH of more than 3.5.

- 1 2. The composition of claim 1, wherein the composition has a pH of about 2 3.6 to about 4.2.
- 1 3. The composition of claim 2, wherein the composition has a pH of about 2 3.7 to about 4.0.
- 1 4. The composition of claim 1, further comprising an anti-inflammatory 2 compound.
 - 5. The composition of claim 4, wherein the anti-inflammatory compound includes sulfur-containing anti-inflammatory compound.
 - 6. The composition of claim 5, wherein the sulfur-containing antiinflammatory compound is selected from the group consisting of cystine, cysteine, Nacetyl cysteine, glutathione, cysteamine, S-methylcysteine, methionine and mixtures thereof.
- The composition of claim 4, wherein the anti-inflammatory compound includes aminosugar.
- 1 8. The composition of claim 7, wherein the aminosugar includes 2 glucosamine, mannosamine, N-acetylmannosamine, galactosamine, glucosamine-6-3 phosphate, N-acetylglucosamine, N-acetylmannosamine, N-acetylgalactosamine and 4 mixtures thereof.
- 9. The composition of claim 1, comprising about 15% (w/v) to about 25% (w/v) pretreated ascorbic acid.

1

2

2

1

- 1 10. The composition of claim 1, wherein the water is selected from the group consisting of distilled water, deionized water, distilled deionized water and mixtures thereof.
 - 11. The composition of claim 1, further comprising about 0.5 to about 5% (w/v) of a non-toxic zinc salt.
 - 12. The composition of claim 11, wherein the non-toxic zinc salt is zinc sulfate.
- 1 13. The composition of claim 1, further comprising a tyrosine compound 2 selected from the group consisting of tyrosine, N-acetyl-tyrosine, tyrosine ethyl ester 3 hydrochloride, tyrosine phosphate and mixtures thereof.
- 1 14. The composition of claim 13, comprising about 1 to about 10% (w/v) of 2 the tyrosine compound.
- 1 15. The composition of claim 1, further comprising a pharmaceutically acceptable carrier.
- 1 16. The composition of claim 15, wherein the pharmaceutically acceptable carrier includes glycerol, propyleneglycol, sorbitol, hydroxypropylcellulose or a mixture thereof.
 - 17. The composition of claim 15, wherein the pharmaceutically acceptable carrier includes alkyleneglycol, hydroxyalkylcellulose or a mixture thereof.
 - 18. A topical composition comprising: an aqueous solution including at least about 5.0% (w/v) ascorbic acid, wherein about 10 to about 50% of the ascorbic acid is pretreated ascorbic acid.
 - 19. The composition of claim 18, wherein the aqueous solution has a pH of more than about 3.5.
 - 20. The composition of claim 18, further comprising a non-toxic zinc salt.

1 21. The composition of claim 18, further comprising a stimulant of protein 2 synthesis. 22. 1 The composition of claim 21, wherein the stimulant of protein synthesis is 2 a tyrosine compound. 1 23. The composition of claim 18, further comprising a precursor of melanin 2 synthesis. The composition of claim 18, comprising about 15 to about 25% (w/v) 24. ascorbic acid. 25. The composition of claim 18, wherein the topical composition is an 2 aqueous solution, a serum, a lotion, an ointment, a cream, or a gel. A topical composition comprising: 1 26. 2 an aqueous solution including at least about 5.0% (w/v) ascorbic acid, wherein 3 about 10 to about 50% of the ascorbic acid is pretreated ascorbic acid; 4 a non-toxic zinc salt; apd 5 a tyrosine compound, wherein the composition has a pH of more than 3.5.

POSITA